




VIEW & DOWNLOAD YOUR COMPLETE RANGE OF SWIFT BROCHURES HERE:
swiftgroup.co.uk/buy/brochures/



FIND YOUR NEAREST DEALER HERE:
swiftgroup.co.uk/find-a-dealer/



CARAVANS

LOVE LIFE
LOVE SWIFT

SPRITE TECHNICAL SPECIFICATION



	COMPACT	ALPINE 2	ALPINE 4	MAJOR 4 SB	MAJOR 4 EB	MAJOR 6 TD	QUATTRO EW
Berths	2	2	4	4	4	6	6
Number of axles	1	1	1	1	1	1	2
Internal length (at bed box height)	3.66m / 12'0"	4.34m / 14'3"	4.74m / 15'7"	5.83m / 19'2"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall width*	2.03m / 6'8"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"
Overall height (inc. TV Aerial)*	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	5.37m / 17'7"	6.05m / 19'10"	6.45m / 21'2"	7.54m / 24'9"	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"
Awning A/A dimension	7.95m / 26'1"	8.59m / 28'2"	8.99m / 29'6"	10.08m / 33'1"	10.08m / 33'1"	10.08m / 33'1"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	980kg / 19.3cwt	1097kg / 21.6cwt	1139kg / 22.4cwt	1286kg / 25.3cwt	1320kg / 26.0cwt	1352kg / 26.6cwt	1430kg / 28.1cwt
Maximum Technical Permissible Laden Mass	1094kg / 21.5cwt	1218kg / 24.0cwt	1284kg / 25.3cwt	1442kg / 28.4cwt	1476kg / 29.1cwt	1528kg / 30.1cwt	1610kg / 31.7cwt
Total user payload	114kg / 2.2cwt	121kg / 2.4cwt	145kg / 2.9cwt	156kg / 3.1cwt	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt
Personal effects payload	114kg / 2.2cwt	121kg / 2.4cwt	145kg / 2.9cwt	156kg / 3.1cwt	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt
Factory fit options	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt
Tyre size	185 R14C 102 Q	185 R14C 102 Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 / 70 R14 88T
Thermal insulation grade	THREE	THREE	THREE	THREE	THREE	THREE	THREE
BED SIZES							
Front double	182cm x 180cm / 6'0" x 5'11"	202cm x 180cm / 6'8" x 5'11"	202cm x 128cm / 6'8" x 4'2"	202cm x 159cm / 6'8" x 5'3"	202cm x 159cm / 6'8" x 5'3"	202cm x 180cm / 6'8" x 5'11"	206cm x 134cm / 6'9" x 4'5"
or front nearside single	180cm x 65cm / 5'11" x 2'2"	190cm x 72cm / 6'3" x 2'4"		159cm x 72cm / 5'3" x 2'4"	159cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	
and front offside single	180cm x 65cm / 5'11" x 2'2"	180cm x 72cm / 5'11" x 2'4"		159cm x 72cm / 5'3" x 2'4"	159cm x 72cm / 5'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	
Rear double			189cm x 132cm / 6'2" x 4'4"	185cm x 133cm / 6'1" x 4'4"	190cm x 133cm / 6'3" x 4'4"		194cm x 132cm / 6'4" x 4'4"
Side single (offside)							180cm x 62cm / 5'11" x 2'0"
Side single (nearside)						180cm x 67cm / 5'11" x 2'2"	
Side bunk (offside)							176cm x 59cm / 5'9" x 1'11"
Side fixed lower bunk						183cm x 57cm / 6'0" x 1'10"	
Side fixed upper bunk						183cm x 57cm / 6'0" x 1'10"	

SPRITE GRANDE TECHNICAL SPECIFICATION



	QUATTRO FB
Berths	6
Number of axles	2
Internal length (at bed box height)	6.27m / 20'7"
Overall width*	2.25m / 7'5"
Overall height (inc. TV Aerial)*	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"
Overall length*	7.98m / 26'2"
Awning A / A dimension	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1450kg / 28.5cwt
Maximum Technical Permissible Laden Mass	1630kg / 32.1cwt
Total user payload	180kg / 3.5cwt
Personal effects payload	180kg / 3.5cwt
Factory fit options	0kg / 0.0cwt
Tyre size	185 / 70 R14 88T
Thermal insulation grade	THREE
BED SIZES	
Front double	202cm x 180cm / 6'8" x 5'11"
Or front nearside single	180cm x 72cm / 5'11" x 2'4"
and front offside single	190cm x 72cm / 6'3" x 2'4"
Rear double	192cm x 132cm / 6'4" x 4'4"
Side double offside	180cm x 62cm / 5'11" x 2'0"
Side fixed lower bunk	176cm x 59cm / 5'9" x 1'11"
Side fixed upper bunk	

	MAJOR 4 SB	QUATTRO FB	QUATTRO DB
Berths	4	6	6
Number of axles	1	2	2
Internal length (at bed box height)	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"
Overall width*	2.46m / 8'1"	2.46m / 8'1"	2.46m / 8'1"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	7.54m / 24'9"	7.98m / 26'2"	7.98m / 26'2"
Awning A / A dimension	10.20m / 33'6"	10.56m / 34'8"	10.56m / 34'8"
Mass in Running Order (inc. tolerance)	1351kg / 26.6cwt	1524kg / 30.0cwt	1530kg / 30.1cwt
Maximum Technical Permissible Laden Mass	1507kg / 29.7cwt	1704kg / 33.5cwt	1710kg / 33.7cwt
Total user payload	156kg / 3.1cwt	180kg / 3.5cwt	180kg / 3.5cwt
Personal effects payload	156kg / 3.1cwt	180kg / 3.5cwt	180kg / 3.5cwt
Factory fit options	0kg / 0.0cwt	0kg / 0cwt	0kg / 0cwt
Tyre size	195/70 R15C 104 R	185 / 70 R14 88T	185 / 70 R14 88T
Thermal insulation grade	THREE	THREE	THREE
BED SIZES			
Front double	225cm x 163cm / 7'4" x 5'4"	225cm x 180cm / 7'4" x 5'11"	225cm x 180cm / 7'4" x 5'11"
Or front nearside single	163cm x 73cm / 5'4" x 2'5"	180cm x 73cm / 5'11" x 2'5"	180cm x 73cm / 5'11" x 2'5"
and front offside single	163cm x 73cm / 5'4" x 2'5"	180cm x 73cm / 5'11" x 2'5"	180cm x 73cm / 5'11" x 2'5"
Rear double	185cm x 133cm / 6'1" x 4'4"	196cm x 135cm / 6'5" x 4'5"	
Side double offside		190cm x 134cm / 6'3" x 4'5"	190cm x 134cm / 6'3" x 4'5"
Side fixed lower bunk			182cm x 72cm / 6'0" x 2'4"
Side fixed upper bunk			182cm x 72cm / 6'0" x 2'4"

SPRITE & SPRITE GRANDE OPTIONAL EXTRAS

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

AL-KO ATC trailer control (fitted at point of manufacture)

DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Alarm system (infra-red with tilt sensor and key-fob operation)

AL-KO Secure wheel lock

Wrap around front seating in addition to drawer chest

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)

Roof mounted air conditioning (model dependent)

Roof mounted solar panel

Yusa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yusa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yusa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

CHALLENGER TECHNICAL SPECIFICATION



	480	560	580	650
Berths	2	4	4	4
Number of axles	1	1	1	2
Internal length (at bed box height)	4.95m / 16'3"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall width*	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	6.66m / 21'10"	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"
Awning A/A dimension	9.32m / 30'7"	10.20m / 33'6"	10.20m / 33'6"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1278kg / 25.2cwt Est	1387kg / 27.3cwt Est	1369kg / 26.9cwt Est	1550kg / 30.5cwt Est
Maximum Technical Permissible Laden Mass	1405kg / 27.7cwt Est	1543kg / 30.4cwt Est	1525kg / 30.0cwt Est	1710kg / 33.7cwt Est
Total user payload	127kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt
Personal effects payload	127kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185/70R14 88 T
Thermal insulation grade	THREE	THREE	THREE	THREE
BED SIZES				
Front double	200cm x 186cm / 6'7" x 6'1"	200cm x 168cm / 6'7" x 5'6"	200cm x 168cm / 6'7" x 5'6"	200cm x 156cm / 6'7" x 5'1"
or front nearside single	181cm x 67cm / 5'11" x 2'2"			
and front offside single	171cm x 67cm / 5'7" x 2'2"			
Rear double		192cm x 133cm / 6'4" x 4'4"	185cm x 133cm / 6'1" x 4'4"	192cm x 133cm / 6'4" x 4'4"

CHALLENGER GRANDE TECHNICAL SPECIFICATION



	560 L	580	635	650 L	670
Berths	4	4	4	4	6
Number of axles	1	1	2	2	2
Internal length (at bed box height)	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"
Overall width*	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.61m / 8'7"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"	7.98m / 26'2"	7.98m / 26'2"
Awning A/A dimension	10.20m / 33'6"	10.20m / 33'6"	10.52m / 34'6"	10.52m / 34'6"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1509kg / 29.7cwt Est	1465kg / 28.8cwt Est	1613kg / 31.8cwt Est	1605kg / 31.6cwt Est	1610kg / 31.7cwt Est
Maximum Technical Permissible Laden Mass	1665kg / 32.8cwt Est	1621kg / 31.9cwt Est	1773kg / 34.9cwt Est	1765kg / 34.7cwt Est	1790kg / 35.2cwt Est
Total user payload	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt	180kg / 3.5cwt
Personal effects payload	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt	180kg / 3.5cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	195 / 70 R15C 104 R	195 / 70 R15C 104 R	185 / 70 R14 88 T	185 / 70 R14 88 T	185 / 70 R14 88 T
Thermal insulation grade	THREE	THREE	THREE	THREE	THREE
BED SIZES					
Front double	194cm x 122cm / 6'4" x 4'0"	218cm x 168cm / 7'2" x 5'6"	218cm x 158cm / 7'2" x 5'6"	194cm x 122cm / 6'4" x 4'0"	218cm x 178cm / 7'2" x 5'10" Est
or front nearside single		159cm x 73cm / 5'3" x 2'4"	159cm x 73cm / 5'3" x 2'4"		182cm x 73cm / 6'0" x 2'4" Est
and front offside single		159cm x 73cm / 5'3" x 2'4"	159cm x 73cm / 5'3" x 2'4"		182cm x 73cm / 6'0" x 2'4" Est
Side fixed lower bunk					187cm x 57cm / 6'1" x 1'10" Est
Side fixed upper bunk					187cm x 57cm / 6'1" x 1'10" Est
Rear double	192cm x 143cm / 6'4" x 4'8"	187cm x 133cm / 6'2" x 4'4"	187cm x 133cm / 6'2" x 4'4"	192cm x 143cm / 6'4" x 4'8"	190cm x 122cm / 6'3" x 4'0" Est

CHALLENGER & CHALLENGER GRANDE OPTIONAL EXTRAS

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

AL-KO ATC trailer control (fitted at point of manufacture)

Zinc upholstery scheme (standard in Conqueror)

DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

AL-KO Secure wheel lock

Wrap around front seating in addition to drawer chest

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)

Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

CHALLENGER SE TECHNICAL SPECIFICATION



	480 SE	560 SE	580 SE	650 SE
Berths	2	4	4	4
Number of axles	1	1	1	2
Internal length (at bed box height)	4.95m / 16'3"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall width*	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	6.66m / 21'10"	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"
Awning A/A dimension	9.32m / 30'7"	10.20m / 33'6"	10.20m / 33'6"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1308kg / 25.7 cwt Est	1447kg / 28.5cwt Est	1429kg / 28.1cwt Est	1580kg / 31.1cwt Est
Maximum Technical Permissible Laden Mass	1435kg / 28.2cwt Est	1603kg / 31.6 cwt Est	1585kg / 31.2cwt Est	1740kg / 34.3cwt Est
Total user payload	127kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt
Personal effects payload	127kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	185 R14C 102Q	195/70 R15C 104R	195/70 R15C 104R	185/70 R14 88 T
Thermal insulation grade	THREE	THREE	THREE	THREE
BED SIZES				
Front double	200cm x 186cm / 6'7" x 6'1"	200cm x 168cm / 6'7" x 5'6"	200cm x 168cm / 6'7" x 5'6"	200cm x 156cm / 6'7" x 5'1"
or front nearside single	181cm x 67cm / 5'11" x 2'2"			
and front offside single	171cm x 67cm / 5'7" x 2'2"			
Rear double		192cm x 133cm / 6'4" x 4'4"	185cm x 133cm / 6'1" x 4'4"	192cm x 133cm / 6'4" x 4'4"

CHALLENGER GRANDE SE TECHNICAL SPECIFICATION



	560 L SE	580 SE	635 SE	650 L SE	670 SE
Berths	4	4	4	4	6
Number of axles	1	1	2	2	2
Internal length (at bed box height)	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"
Overall width*	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.61m / 8'7"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"	7.98m / 26'2"	7.98m / 26'2"
Awning A/A dimension	10.20m / 33'6"	10.20m / 33'6"	10.52m / 34'6"	10.52m / 34'6"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1549kg / 30.5cwt Est	1505kg / 29.6cwt Est	1653kg / 32.5cwt Est	1645kg / 32.4cwt Est	1640kg / 32.3cwt Est
Maximum Technical Permissible Laden Mass	1705kg / 33.6cwt Est	1661kg / 32.7cwt Est	1813kg / 35.7cwt Est	1805kg / 35.5cwt Est	1820kg / 35.8cwt Est
Total user payload	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt	180kg / 3.5cwt
Personal effects payload	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt	180kg / 3.5cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	195 / 70 R15C 104 R	195 / 70 R15C 104 R	185 / 70 R14 88 T	185 / 70 R14 88 T	185 / 70 R14 88 T
Thermal insulation grade	THREE	THREE	THREE	THREE	THREE
BED SIZES					
Front double	194cm x 122cm / 6'4" x 4'0"	218cm x 168cm / 7'2" x 5'6"	218cm x 158cm / 7'2" x 5'6"	194cm x 122cm / 6'4" x 4'0"	218cm x 178cm / 7'2" x 5'10" Est
or front nearside single		159cm x 73cm / 5'3" x 2'4"	159cm x 73cm / 5'3" x 2'4"		163cm x 70cm / 5'4" x 2'4" Est
and front offside single		159cm x 73cm / 5'3" x 2'4"	159cm x 73cm / 5'3" x 2'4"		163cm x 70cm / 5'4" x 2'4" Est
Side fixed lower bunk					187cm x 57cm / 6'1" x 1'10" Est
Side fixed upper bunk					187cm x 57cm / 6'1" x 1'10" Est
Rear double	192cm x 143cm / 6'4" x 4'8"	187cm x 133cm / 6'2" x 4'4"	187cm x 133cm / 6'2" x 4'4"	192cm x 143cm / 6'4" x 4'8"	190cm x 122m / 6'3" x 4'0" Est

CHALLENGER SE & CHALLENGER GRANDE SE OPTIONAL EXTRAS

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

AL-KO ATC trailer control (fitted at point of manufacture)

Zinc upholstery scheme (standard in Conqueror)

DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Wrap around front seating in addition to drawer chest

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)


Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

CONQUEROR TECHNICAL SPECIFICATION



	480	560	580
Berths	2	4	4
Number of axles	1	1	1
Internal length (at bed box height)	4.98m / 16'4"	5.93m / 19'5"	5.93m / 19'5"
Overall width*	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"
Overall height (inc. TV Aerial)*	2.59m / 8'6"	2.61m / 8'7"	2.61m / 8'7"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	6.59m / 21'7"	7.54m / 24'9"	7.54m / 24'9"
Awning A/A dimension	9.28m / 30'5"	10.30m / 33'10"	10.30m / 33'10"
Mass in Running Order (inc. tolerance)	1351kg / 26.6cwt Est	1558kg / 30.7cwt Est	1530kg / 30.1cwt Est
Maximum Technical Permissible Laden Mass	1477kg / 29.1cwt Est	1714kg / 33.7cwt Est	1686kg / 33.2cwt Est
Total user payload	126kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt
Personal effects payload	126kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	185 R14C 102 Q	195 / 70 R15C 104 R	195 / 70 R15C 104 R
Thermal insulation grade	THREE	THREE	THREE

BED SIZES

Front double	200cm x 186cm / 6'7" x 6'1"	200cm x 158cm / 6'7" x 5'2"	200cm x 168cm / 6'7" x 5'6"
or front nearside single	181cm x 67cm / 5'11" x 2'2"		
and front offside single	171cm x 67cm / 5'7" x 2'2"		
Rear double		192cm x 133cm / 6'4" x 4'4"	182cm x 133cm / 6'0" x 4'4"

CONQUEROR OPTIONAL EXTRAS

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

Gallway upholstery scheme (standard in Challenger)

DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Wrap around front seating in addition to drawer chest

Swift Command Tracker by Sargent annual subscription

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)


Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

ELEGANCE GRANDE TECHNICAL SPECIFICATION



	835	845	850
Berths	4	4	4
Number of axles	2	2	2
Internal length (at bed box height)	6.36m / 20'10"	6.36m / 20'10"	6.36m / 20'10"
Overall width*	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"
Overall height (inc. TV Aerial)*	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	7.98m / 26'2"	7.98m / 26'2"	7.98m / 26'2"
Awning A/A dimension	10.49m / 34'5"	10.49m / 34'5"	10.49m / 34'5"
Mass in Running Order (inc. tolerance)	1866kg / 36.7cwt	1850kg / 36.4cwt	1866kg / 36.7cwt
Maximum Technical Permissible Laden Mass	2067kg / 40.7cwt	2051kg / 40.4cwt	2067kg / 40.7cwt
Total user payload	201kg / 4.0cwt	201kg / 4.0cwt	201kg / 4.0cwt
Personal effects payload	160kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Factory fit options	41kg / 0.8cwt	41kg / 0.8cwt	41kg / 0.8cwt
Tyre size	185/65 R15 92XL	185/65 R15 92XL	185/65 R15 92XL
Thermal insulation grade	THREE	THREE	THREE

BED SIZES

Front double	218cm x 126cm / 7'2" x 4'2"	218cm x 126cm / 7'2" x 4'2"	194cm x 122cm / 6'4" x 4'0"
Rear double	192cm x 133cm / 6'4" x 4'4"	192cm x 133cm / 6'4" x 4'4"	192cm x 143cm / 6'4" x 4'8"

ELEGANCE GRANDE OPTIONAL EXTRAS

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

Truffle fabric upholstery option

E&P hydraulic auto-levelling system

DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Swift Command Tracker by Sargent annual subscription

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)

Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

SPECIFICATION NOTES

MASSES: The masses are calculated in accordance with EU regulation 1230 / 2012 and NCC code of practice 304.

The Mass in Running Order (MRO) comprises:

1. The mass of the empty caravan as supplied by Swift including loose items such as the hook-up cable, kit bag, entrance step, manuals etc.
2. 10kg allowance for LPG

The MRO is calculated with the fresh water tank, toilet flush tank and water heater empty. If you travel with water in the fresh water tank, toilet flush tank and the water heater the payload will reduce accordingly.

The personal effects is based on the number of berths and the length of the caravan, and includes an allowance of 20kg for a leisure battery.

The Maximum Technical Laden Mass (MTPLM) is the maximum mass allowed when the caravan is fully laden.

WARNING: Under no circumstances should the MTPLM be exceeded.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without chest of drawers. The front double bed width for a layout with a chest of drawers fitted will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Est = Estimated weight or bed size.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions.

Please note: Any dealer fit options will reduce the overall payload available to the user of the caravan. If you require additional payload it is possible to upgrade the MTPLM to the upper limit. Please contact your caravan dealer for more information.

LED ROAD LIGHTS: Certain vehicles may require a secondary fuse box when towing models fitted with LED road lighting.

DISCLAIMER

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification.

Issued September 2022.




FUN, FRESH, FUNKY!

The exciting, sporty, fun and stylish compact crossover camping vehicle created for life's adventurers.

Whether you are seeking adrenaline fuelled, fast paced activities, or just enjoy getting off the beaten track to explore the wilderness, Basecamp is the perfect place to rest and refuel, ready for your next big adventure.

Compact in size and lighter in weight to traditional caravans, Basecamp can be towed by most family cars and is easier to manoeuvre.



BASECAMP 2



BASECAMP 3



BASECAMP 4



SCAN FOR MORE



SUPERSURE
INSURANCE



INSURE YOUR SMILES

Exclusive insurance for Swift caravans. Take advantage of wide cover backed by a leading UK insurer RSA. Grab big savings for many of Swift's standard fit security devices.

Call **01422 397 793** (Open 7 days)

Or visit **www.supersureinsurance.co.uk**

Supersure is arranged and administered by Caravan Guard Limited. Caravan Guard Limited is authorised and regulated by the Financial Conduct Authority